
SLIM BATTERIES

FOR SERIOUS ADVENTURE

Current Automation
POWER SOLUTION PROVIDERS

DESIGNED TO FIT WHERE OTHERS CAN'T

- High capacity slim design
- Ideal for 4WDs, Vans & Campers
- Reliable Lithium power



ENERTEC BATTERIES

POWER WITHOUT THE BULK

Specification	100Ah	200Ah
Nominal Voltage	12.8V	12.8V
Capacity	100Ah	200Ah
Energy	1280Wh	2560Wh
Cycle Life	>3000 cycles	>4000 times, 0.5C, 80% DOD 25°C
Continuous Discharge	150A	150A
Peak Discharge	300A	
Charge Voltage	14.6V	14.6V
Operating Temperature	-20°C to 60°C	-20°C to 60°C
Weight	±15 kg	±15 kg
Dimensions	520 × 315 × 65 mm	520 × 315 × 65 mm
Download	Spec sheet	Spec sheet
GET A QUOTE	EMAIL ME	EMAIL ME





Specification	100Ah	200Ah
Voltage Range(V)	9.2~14.6	9.2~14.6
Cell	3.2V 100Ah	3.2V 200Ah
Cell Series & Parallels	4S1P	4S1P
Rated Voltage(V)	12.8	12.8
Rated Capacity(Ah)	100A	200A
Rated Energy(kWh)	1.28	2.56
Maximum Charge Current(A)	100	200
Weight	±15 kg	±28 kg
Dimensions	270*600*65 MM	275*850*70 MM
Download	Spec sheet	Spec sheet
GET A QUOTE	EMAIL ME	EMAIL ME

Energy Storage - Ultra-thin



SL3ATT®

Best Solution Lithium Battery

Super Slim Lithium

12V 104Ah

Specification	100Ah
Nominal Voltage	12V
Capacity	104Ah
Voltage Range	10V to 14.8V
Maximum Charge Current	100A
Maximum Discharge Current	200A
Peak Discharge Current	290A@30s
Cycle Life	6000 Cycles
Download	Spec sheet
GET A QUOTE	EMAIL ME

